

FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN RESPECT OF SCHOOLS ALREADY AFFILIATED WITH THE BOARD AND SEEKING EXTENSION/UPGRADATION OF AFFILIATION WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with **School Safety Policy, 2016** issued by the NDMA, **Manual on Safety and Security of Children in Schools** developed by NCPCR and the **National Building Code**)

PART-A

(This part is to be filled-up by the school and to be produced before the District Education Officer along with all supporting documents and certificates in original)

GENERAL INFORMATION

| | | |
|----|--|--|
| 1 | Affiliation Number allotted by CBSE to the school: | 1130992 |
| 2 | Name of the School as per affiliation letter of CBSE: | ST. ANNE'S PUBLIC SCHOOL MUL |
| 3 | Address of the School: | BEHIND SBI, WARD NO: 14 MUL, CHANDRAPUR |
| 4 | Standard/level/class up to which the school is running: | I st - VIII th - to Class |
| 5 | Is the name and address of school in CBSE affiliation letter and State NOC/Recognition/U-DISE exactly the same | YES/NO |
| 6 | U-DISE code allotted to the school: | 27130805519 |
| 7 | Name and address of the Trust/Society/ Company (under section-8) running the School as on date | ST. ANNE'S EDUCATIONAL SOCIETY AND ST. ANNE'S HEALTH CENTRE, SUMTHANA |
| 8 | Is the Trust/Society/ Company duly registered with the competent registering authority and the registration is valid as on date? | YES/NO |
| 9 | Purpose of present application: | EXTENSION OF AFFILIATION |
| 10 | Location of school ST. ANNE'S PUBLIC SCHOOL IS LOCATED IN THE DISTRICT OF CHANDRAPUR, MUL TOWN. MAHARASHTRA. THE TOWN HAS 22256 POPULATION. THE SCHOOL IS SITUATED BEHIND SBI BANK, MUL BRANCH WARD NO: 14. | <ul style="list-style-type: none"> * In the municipal limits of metropolitan city * In the municipal limits of city having population more than 15 Lakhs * In the hill areas (as per planning commission norms) * In the municipal limits of capital city of a state * In the municipal limits of class-x cities * On an island * In the municipal limits of a hill station * In the municipal limits of city having |

Anurag Tripathi
ANURAG TRIPATHI, IRPS
 SECRETARY
 Central Board of Secondary Education
 Preet Vihar, Delhi

Sr. Lilly
 MANAGER
 ST. ANNE'S PUBLIC SCHOOL
 P.O. MUL, CHANDRAPUR
 PIN-441224(M.S)

Sr. Dolly Jose
 Principal
 St. Anne's Public School
 Mul - 441224
 Dist. Chandrapur

APPENDIX-III

| | | |
|--|---|---|
| | | population less than 15 Lakhs * Outside the municipal limits of any town/city. |
| 10 | Has the school obtained Recognition Certificate from the State Government from class-1 to 8 th ? | YES/NO YES |
| 11 | Number of Recognition Certificate from class-1 to 8 th and date of issue: | |
| INFORMATION REGARDING LAND DETAILS AND OWNERSHIP | | |
| 12 | Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall? | YES/NO YES |
| 13 | Are both the School and the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides? | YES/NO YES |
| 14 | Total area (in square meters) in respect of 12 and 13 above on which the school is situated: | AREA IN SQ.M. 16187.412 SQ.M |
| 15 | The land is in the possession of the school/ Trust/Society/Company legally by way of: | SALE DEED |
| 16 | Name of the Owner/Lessee of the land in respect of point-14 above: | ST. ANNE'S EDU. SO. AND ST. ANNE'S H. C SUMTHANA |
| 17 | In case the land is in the possession of the society/school by way of lease as per State Government norms, the period of the lease: | FROM TO TOTAL YEARS |
| 18 | Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above? | No NO If yes the details |
| INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS | | |
| 19 | Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? | YES NO |
| 19(a) | If yes the date of last inspection: | 9/7/2022 |
| 20 | Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? | YES NO |
| 20(a) | If yes the date of last inspection: | 17/8/2022 |
| 21 | Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? | YES NO |
| 21(a) | If yes the date of last inspection: | 17/8/2022 |
| INFORMATION REGARDING THE STAFF | | |
| 22 | Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government? | YES/NO |
| 23 | Is the school paying salary to the teachers and other employees as per the norms of the appropriate Government? | YES/NO |

Anurag Tripathi
ANURAG TRIPATHI, IRPS
SECRETARY
Central Board of Secondary Education
Preet Vihar, Delhi

Sr. Lilly
MANAGER
ST. ANNE'S PUBLIC SCHOOL
P.O. MUL, CHANDRAPUR
PIN-441224 (M.S.)

Sr. Dolly Jose
Principal
Anne's Public School
Mul-441224
Dist. Chandrapur

| | | |
|--|---|---|
| 24 | Is the salary to the teachers and other employees of the school being paid through the bank by mode of electronic clearing? (Payment by cheque or cash to the individuals is not allowed) | YES |
| <p style="text-align: center;"><i>Sh. Lilly</i> MANAGER ST. ANNE'S PUBLIC SCHOOL P.O.MUL, CHANDRAPUR PIN-441224(M.S)</p> | | <p style="text-align: center;"><i>Sh. Dolly Jose</i> Principal St. Anne's Public School Mul-441224 (of School Principal)</p> |
| PART-B | | |
| (This part is to be filled-up by the District Education Officer after verifying all supporting documents and certificates in original and visiting the school) | | |
| File No. <u>4221</u> Date of Issuance <u>20/04/2022</u> | | |
| 1 | This is to certify that the information above, provided by the school has been verified on the basis of all supporting documents & certificates and visiting the school and the information has been found correct. | |
| 2 | Is the school recommended for extension/upgradation of affiliation? - Point No 22, 23 ची पूर्तता होत नाही. - मुख्याध्यापकांची वै. माख्या घेण्यात आली नाही. | YES extension/upgradation |
| | | <p style="text-align: right;"><i>[Signature]</i> Signature Name and Stamp of Issuing D.E.O. (DISTRICT EDUCATION OFFICER)/EQUIVALENT OFFICER FROM EDUCATION ADMINISTRATION AT DISTRICT LEVEL NAME OF DISTRICT: <u>CHANDRAPUR</u></p> |

Anurag Tripathi
ANURAG TRIPATHI, IRPS
SECRETARY
Central Board of Secondary Education
Preet Vihar, Delhi

Sh. Lilly
MANAGER
ST. ANNE'S PUBLIC SCHOOL
P.O.MUL, CHANDRAPUR
PIN-441224(M.S)

Sh. Dolly Jose
Principal
St. Anne's Public School
Mul-441224
Dist Chandrapur

53